

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : D06L 1/02		A1	(11) International Publication Number: WO 92/08836 (43) International Publication Date: 29 May 1992 (29.05.92)
(21) International Application Number: PCT/US91/08465 (22) International Filing Date: 13 November 1991 (13.11.91) (30) Priority data: 718,420 <u>21 June 1991 (21.06.91)</u> US (71) Applicant: WM. WRIGLEY JR. COMPANY [US/US]; 410 North Michigan Avenue, Chicago, IL 60611 (US). (72) Inventors: GREENBERG, Michael, J. ; 1633 Brighton Court, Northbrook, IL 60062 (US). VACCA, J., D. ; 620 Selborne Road, Riverside, IL 60546 (US). (74) Agent: GABRIC, Ralph, J; William Brinks Olds Hofer Gil- son & Lione, NBC Tower, Suite 3600, 455 North Cit- yfront Plaza Drive, Chicago, IL 60611-5599 (US).		(81) Designated States: AT (European patent), AU, BE (Euro- pean patent), BR, CA, CH (European patent), DE (Eu- ropean patent), DK (European patent), ES (European patent), FI, FR (European patent), GB, GB (European patent), GR (European patent), IT (European patent), JP, KR, LU (European patent), NL (European patent), NO, PL, RO, SE (European patent), SU*. Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the</i> <i>claims and to be republished in the event of the receipt of</i> <i>amendments.</i> <i>Before the expiration of the time limit referred to in Article</i> <i>21(2)(a) on the request of the applicant.</i>	

**RECORD COPY
CENTRAL FILE**

(54) Title: **USE OF RICINOLEATE DERIVATIVE COMPOSITIONS TO REMOVE CHEWING GUM ADHERING TO SURFACES**

(57) Abstract

Methods and compositions for the removal of chewing gum adhering to a surface are provided. In general, compositions comprising ricinoleate derivatives are used to remove chewing gum adhering to a surface.

3938

10

15

465

476

530

569

703

710

+ DESIGNATIONS OF "SU"

Any designation of "SU" has effect in the Russian Federation. It is not yet known whether any such designation has effect in other States of the former Soviet Union.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland			SN	Senegal
CI	Côte d'Ivoire	KR	Republic of Korea	SU ⁺	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
CS	Czechoslovakia	LK	Sri Lanka	TG	Togo
DE	Germany	LU	Luxembourg	US	United States of America
DK	Denmark	MC	Monaco		

-1-

USE OF RICINOLEATE DERIVATIVE COMPOSITIONS
TO REMOVE CHEWING GUM ADHERING TO SURFACES

5

BACKGROUND OF THE INVENTION

10

Chewing gum oftentimes becomes adhered, either accidentally or intentionally, to various surfaces such as clothing, fabrics, carpets, masonry, plastics and ceramics. It is often difficult to remove all traces of the chewing gum from the surface to which it is attached without causing damage to the surface itself.

15

Methods of removing chewing gum (chewing gum cuds as they are sometimes referred to) from various household surfaces have been employed in the past. Most of these methods, however, suffer from various shortcomings. For example, some methods require the use of flammable and/or toxic compositions that are harmful to humans as well as the surface being treated. Other methods require the use of relatively expensive compositions. Finally, some methods simply do not yield satisfactory results.

20

25

Examples of some known methods include the physical removal of the chewing gum adhering to a surface with or without the application of heat or cold. Such methods, however, are oftentimes ineffective and can cause damage to the surface being treated. Volatile organic solvents have also been used to loosen chewing gum adhering to a surface followed by physical removal. Although somewhat more effective than the use of heat or cold, these organic solvents are undesirably toxic and/or flammable. Further, organic solvents can cause damage to the surface being treated and can be relatively expensive. The use of certain oils are also

30

35

known for use in loosening chewing gum adhering to a surface. For example, essential oils such as orange oil have been used. However, oils are generally ineffective in satisfactorily loosening the chewing gum and also tend to stain the surface being treated.

The present invention is directed to novel compositions and methods of removing chewing gum adhering to a surface. The present invention utilizes compositions which are nonflammable, non-toxic, and relatively inexpensive. Furthermore, the compositions of the present invention cause little or no damage to the surfaces from which the chewing gum is removed.

SUMMARY OF THE INVENTION

Applicants have discovered novel compositions and methods for removing chewing gum adhering to a surface.

In one feature of the present invention, a method of removing chewing gum adhering to a surface is provided. According to this method, an amount of a composition containing a ricinoleate derivative is applied to the chewing gum. Thereafter, an amount of time is allowed to pass sufficient to permit the ricinoleate derivative to loosen the chewing gum's adherence to the surface. After such time, the chewing gum is physically removed from the surface.

Preferably, the chewing gum is removed by the application of a composition comprising methyl acetyl ricinoleate that has been heated to a temperature between about 50°C and about 70°C. An amount of time is then allowed to pass sufficient to permit the methyl acetyl ricinoleate to loosen the chewing gum from the surface. After such time, the chewing gum is physically removed from the surface.

In another feature of the present invention, a method of removing chewing gum adhering to a firm surface is provided wherein a composition containing a ricinoleate derivative is applied to the chewing gum. Thereafter, an amount of time is allowed to pass sufficient to permit the ricinoleate derivative composition to loosen the chewing gum's adherence to the surface. After such time, the chewing gum is gently scraped off of the surface. Preferably, methyl acetyl ricinoleate that has been heated to a temperature between about 50°C and 70°C is applied to the chewing gum.

In yet another aspect of the present invention, a method of removing a chewing gum adhering to a fabric is provided. According to this method, a composition containing a ricinoleate derivative is applied to the fabric on the side immediately opposite the chewing gum's point of adherence to the fabric. Thereafter, an amount of time is allowed to pass sufficient to permit the ricinoleate derivative to loosen the chewing gum's adherence to the fabric. After such time, the chewing gum is peeled off of the fabric. Preferably, methyl acetyl ricinoleate that has been heated to a temperature between about 50°C and 70°C is applied to the fabric.

In another feature of the present invention, a composition useful for removing chewing gum from surfaces is provided. The composition contains one or more ricinoleate derivatives and, preferably, methyl acetyl ricinoleate.

DETAILED DESCRIPTION OF THE
PREFERRED EMBODIMENTS

5 The present invention is directed to novel methods
and compositions for removing chewing gum adhering to a
surface. Applicants have discovered that the use of
compositions containing ricinoleate derivatives are
surprisingly effective in removing chewing gum adhering
10 to a surface without damaging the surface being
treated. Furthermore, the ricinoleate derivative com-
positions contemplated for use in the present invention
have negligible flammability and toxicity, thus making
these compositions safe for household use and storage.
Also, these ricinoleate derivative compositions are
15 relatively inexpensive.

 The present invention contemplates the use of
various ricinoleate derivative compositions. The com-
position may be a pure ricinoleate derivative, for
example methyl acetyl ricinoleate (MAR) which is
20 preferred. Or it may be a mixture of ricinoleate
derivatives including MAR, methyl ricinoleate, glycerol
mono-ricinoleate, glycerol diricinoleate, and propylene
glycol ricinoleate. One example of a ricinoleate
composition contemplated for use in the present
25 invention is castor oil (also known as ricinus oil),
which is obtained by cold-pressing the seeds of Ricinus
communis L., Euphorbiaceae. Caster oil contains about
87% by weight fatty acid glycerides of ricinoleic acid.
As previously stated, however, the preferred
30 ricinoleate derivative is methyl acetyl ricinoleate.
It should be noted, however, that methyl acetyl
ricinoleate may be more effective in removing some
chewing gums than others. For example, it is believed
that methyl acetyl ricinoleate is especially effective

in removing chewing gums having bubble gum type bases. Examples of such bases may be found in U.S. Patent Nos. 4,352,822, 4,357,355 and 4,452,820.

In a most preferred embodiment of the present invention, the ricinoleate derivative composition is heated to a temperature between about 50°C and about 70°C just prior to use in removing the gum cuds.

The method of removing chewing gum adhering to a surface may vary depending on the surface being treated. In general, application of the ricinoleate derivative to the chewing gum followed by physical removal will be most effective. In some instances, large quantities and repeated and/or prolonged application of the ricinoleate derivatives may be necessary for best results. Also, a follow-up cleaning with a mild detergent, such as a commercial clothing detergent or dishwashing detergent, may be desirable for removing the last traces of chewing gum and ricinoleate derivative. Following are some specifically preferred methods.

Where chewing gum is adhered to a firm surface such as wood or concrete, an amount of the ricinoleate composition sufficient to wet the chewing gum is placed directly on the chewing gum, especially around the boundary edges of the chewing gum. The chewing gum is then allowed to stand for a time sufficient to permit the ricinoleate derivative to loosen the chewing gum's adherence to the firm surface. Preferably, the chewing gum is allowed to stand for at least ten minutes. After such time, the chewing gum is gently scraped off of the firm surface. If traces of chewing gum remain, the aforesaid procedure may be repeated. After treatment with the ricinoleate derivative, the treated

surface is washed with an aqueous solution containing a mild detergent and subsequently dried.

Where chewing gum is adhered to a fabric such as cotton, wool, polyester, rayon or nylon, a few drops of the ricinoleate derivative composition is applied to the side of the fabric immediately opposite the chewing gum's point of adherence to the fabric. Of course, if this is not possible (i.e. in the case of carpeting or upholstery), the ricinoleate derivative may be applied directly to the chewing gum, and preferably at the boundary areas of the gum. In any event, once the ricinoleate derivative composition is applied to the fabric (or chewing gum), the ricinoleate derivative composition is allowed to remain for a time sufficient to permit it to loosen the chewing gum's adherence to the fabric. Preferably, the ricinoleate composition is allowed to remain for a period of at least about five minutes. After such time, the chewing gum is peeled off of the fabric. Thereafter, a cleaning cloth dipped in a ricinoleate derivative composition may optionally be used to remove any remaining chewing gum.

Of course, it should be understood that a wide range of changes and modifications can be made to the preferred embodiments described above. It is therefore intended that the foregoing detailed description be regarded as illustrative rather than limiting, and that it be understood that it is the claims appended hereto, including all equivalents, that are intended to define the scope of this invention.

ExamplesExample 1

Sticks of Wrigley Doublemint® brand chewing gum were chewed for about ten minutes and then pressed onto linoleum tile and allowed to remain for about four hours. The gum cuds were then removed according to several methods. The methods were evaluated by visual examination of the tile after removal of the gum cuds. The results were as follows:

(a) Application of ice until the cuds hardened followed by physical removal left a light haze on the affected area. A follow-up cleaning with an aqueous detergent solution failed to remove the haze from the affected area.

(b) Liberal application of isopropyl alcohol for a few minutes followed by physical removal removed 100% of the gum cud with no visible remnants on the affected area.

(c) Application of mineral oil followed by physical removal removed 100% of the gum cud with no visible remnants on the affected area.

(d) Application of methyl acetyl ricinoleate followed after a few minutes by physical removal removed 100% of the gum cud with no visible remnants on the affected area.

Example 2

Sticks of Wrigley Doublemint® brand chewing gum were chewed for ten minutes and the resulting gum cuds were pressed into half-inch pile synthetic carpet. The gum cuds were then removed according to various methods. These methods were then evaluated by visual

examination of the affected area. The results of these evaluations were as follows:

5 (a) Application of ice until the gum cuds hardened followed by physical removal was effective in removing about 95% of the gum cud.

(b) Application of isopropyl alcohol followed by physical removal removed about 99% of the gum cud. However, some discoloration of the carpet may have taken place.

10 (c) Application of mineral oil followed by physical removal was slightly less effective than isopropyl alcohol in removing the gum cud.

15 (d) Liberal amount of methyl acetyl ricinoleate was applied to the gum cud and allowed to stand for five minutes. Thereafter, physical removal removed about 99% of the gum cud. A follow-up cleaning with detergent or shampoo appeared necessary, however.

Example 3

20 Sticks of Wrigley Doublemint® brand chewing gum were chewed for ten minutes and the resulting gum cuds were adhered to a 100% cotton cloth. The gum cuds were then removed according to various methods. These methods were then evaluated by visual examination of
25 the cloth subsequent to the removal of the gum cuds. The results of these evaluations were as follows:

(a) Physical removal was effective in removing only about 90% of the gum cud.

30 (b) Application of ice until the gum cud hardened followed by physical removal was effective in removing about 100% of the gum cud.

(c) Application of isopropyl alcohol followed by physical removal was effective in removing about 99% of the gum cud.

5 (d) Application of mineral oil followed by physical removal was effective in removing about 99% of the gum cud.

(e) Application of methyl acetyl ricinoleate followed by physical removal was effective in removing about 99% of the gum cud.

10 Example 4

Wrigley Hubba Bubba® brand bubble gum cuds were adhered to a 100% cotton cloth. Isopropyl alcohol and methyl acetyl ricinoleate were equally effective in removing the gum cuds. An aqueous soap solution was then applied to the cloth to remove oily residues.

15 Example 5

Hubba Bubba® cuds were adhered to unpainted cinder block. The methods described in Examples 1-4 were ineffective in removing the gum cuds apparently due to the penetration of the gum into the porous cinder block surface.

20 Example 6

Example 5 was repeated using a painted cinder block. Both isopropyl alcohol and methyl acetyl ricinoleate were effective in removing 100% of the gum cud.

25 Example 7

A Hubba Bubba® cud was adhered to a cement floor and allowed to set for an extended period. Methyl

acetyl ricinoleate was effective in removing 100% of the gum cud.

- 5 As the above examples demonstrate, compositions containing ricinoleate derivatives are at least as effective in removing chewing gum adhered to a surface as isopropyl alcohol without the undesirable flammability properties associated with isopropyl alcohol.

WE CLAIM:

1. A method of removing chewing gum adhering to a surface comprising the following steps:

5 applying to the chewing gum a composition comprising a ricinoleate derivative;

 permitting the ricinoleate derivative to loosen the chewing gum from the surface; and

10 physically removing the chewing gum from the surface.

2. The method of Claim 1 wherein the ricinoleate derivative composition has a temperature of about 50°C to about 70°C.

15 3. The method of Claim 1 wherein the ricinoleate derivative comprises methyl acetyl ricinoleate.

20 4. The method of Claim 3 wherein the chewing gum comprises bubble gum.

5. A method of removing chewing gum adhering to a surface comprising the following steps:

25 applying to the chewing gum a composition comprising methyl acetyl ricinoleate having a temperature of about 50°C to about 70°C;

 permitting the methyl acetyl ricinoleate to loosen the chewing gum from the surface; and

30 physically removing the chewing gum from the surface.

6. A method of removing chewing gum adhering to a firm surface comprising the following steps:

-12-

applying to the chewing gum a composition
comprising ricinoleate derivative;
permitting the ricinoleate derivative
composition to loosen the chewing gum from the surface;
and

gently scraping the chewing gum off the
surface.

7. The method of Claim 6 wherein the ricinoleate
derivative composition has a temperature of about 50°C
to about 70°C.

8. The method of Claim 6 wherein the ricinoleate
derivative comprises methyl acetyl ricinoleate.

9. The method of Claim 8 wherein the chewing gum
comprises bubble gum.

10. A method of removing chewing gum adhering to
a fabric comprising the following steps:

applying a composition comprising a
ricinoleate derivative to the fabric on the side
immediately opposite the chewing gum's point of
adherence;

permitting the ricinoleate derivative
composition to loosen the chewing gum from the fabric;
and

peeling the chewing gum off of the fabric.

11. The method of Claim 10 wherein the
ricinoleate derivative composition has a temperature of
about 50°C to about 70°C.

12. The method of Claim 10 wherein the ricinoleate derivative comprises methyl acetyl ricinoleate.

13. The method of Claim 12 wherein the chewing gum comprises bubble gum.

14. A composition useful for removing chewing gum adhering to a surface comprising a ricinoleate derivative.

15. The composition of Claim 14 wherein the ricinoleate derivative comprises methyl acetyl ricinoleate.

INTERNATIONAL SEARCH REPORT

International Application No. **PCT/US91/08465**

I. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all) ⁴ According to International Patent Classification (IPC) ⁵ or to both National Classification and IPC U.S. CL: 008/137 INT CL: D06L 1/02		
II. FIELDS SEARCHED		
Minimum Documentation Searched ⁷		
Classification System	Classification Symbols	
208	137	
252	Dig. 19	
436	003 & 006	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸		
III. DOCUMENTS CONSIDERED TO BE RELEVANT ⁹		
Category ⁹	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³
Y	US, A, 3,666,492 (TENG, ET. AL.) 30 MAY 1972 Col. 4, lines 69-70).	1-10
Y	US, A, 3,883,666 (TENG ET. AL.) 13 MAY 1975 Col. 6, line 10	1-10
Y	US, A, 4,459,311 (DE TORA ET. AL.) 10 JULY 1984 Col. 3, lines 50-51	1-10
Y	Grant & Hackh's CHEMICAL DICTIONARY 5 ED. pp. 327 & 455 MCGRAW-HILL (1987)	1-10
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>¹⁰ Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubt on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search		Date of Mailing of this International Search Report
08 FEBRUARY 1992		18 MAR 1992
International Searching Authority		Signature of Authorized Officer
ISA/US		INTERNATIONAL PATENT DIVISION JOHN F. McNALLY

PATENTS SUMMARY

07/29/98

Page 1

Country : Patent Cooperation Treaty (PCT)

Patent #: 92-008836

Index#: 3938

Inventor: Michael Greenberg, et. al.

Issue Date: 05/29/92

Assignee: Wm. Wrigley Jr. Co.

Date of Application: 06/21/91

Title:

USE OF RICINOLEATE DERIVATIVE COMPOSITIONS TO REMOVE CHEWING GUM
ADHERING
TO SURFACES

Desc.:

A method of removing chewing gum adhering to surfaces by using ricinoleate derivative compositions is claimed. The preferred derivative is methyl acetyl ricinoleate used at a temperature of 50 to 70 degrees C. The composition loosens the gum which is then physically removed.

Key Words:

10 CHEWING GUM
15 Bubble Gum
465 Fats/Oils
486 Solvents
530 Chewing Gum Removal
569 Improved or Easier Processing
703 Wrigley/Zeno
810 Patent Cooperation Treaty (PCT)